
EQUALIZER

design bbrand for dark









BB(B)	COLORS	02 03	Black White
		10	Alu
		151	Bronze Dark
		_	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
Н	COLOR TEMP.	2	2700 K
		3	3000 K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut
L	Lighting	1	down
		2	up/down








design bbrand for dark 2/3



EQUALIZER 2500 3500-BB(B)-906H-DD-K-L




BB(B)	COLORS	03 10 151	White Alu Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6.4 W
LII	CKI - LUMLNUUTPUT		
Н	COLOR TEMP.	2	2700 K
		3	3000 K
DD	SUSP. CABLE	01	1.5 m
		02	2,5 m
		0	Non-dimensional
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut
		1	down
L	Lighting	2	up/down



design bbrand for dark 3/3







3B(B)	COLORS	02 03 10 151	Black White Alu Bronze Dark
		131	DIOII2C DUIK
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
Н	COLOR TEMP.	2	2700 K
		3	3000 K
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut













