





NEXIA INOX_S

Aluminum Downlight LED.



172 x 90 mm

00242 -		Colour	CRI / Temp.	Angle	Led	Dimming	Class			
0	White	H	927	2	20°	0	2 x 760 lm / 6 W	R	Edge Cut	II
1	Black	E	930	4	40°	1	2 x 1030 lm / 9 W	D	Dali	
8	Aluminum	F	940	6	60°	2	2 x 1330 lm / 13 W			

650 g	160x82 mm	30°	1	44	IP	CRI=90	3-SDCM	40.000 h	230 V	DRIVER	LED
-------	-----------	-----	---	----	----	--------	--------	----------	-------	--------	-----

DESCRIPTION

Adjustable downlight in aluminium. It incorporates the LED module 15030-. Driver incorporated.







INSTALLATION

Round embedment of 160x82 mm.


ACCESSORIES

15031 - HONEYCOMB MODULE 6 / 9 W

15032 - HONEYCOMB MODULE 13 W





QUALITY CERTIFICATES :





NEXIA INOX_S

Aluminum Downlight LED.



255 x 90 mm

00243 -		Colour	CRI / Temp.	Angle	Led	Dimming	Class			
0	White	H	927	2	20°	0	3 x 760 lm / 6 W	R	Edge Cut	II
1	Black	E	930	4	40°	1	3 x 1030 lm / 9 W	D	Dali	
8	Aluminum	F	940	6	60°	2	3 x 1330 lm / 13 W			

975 g	243x82 mm	30°	1	44	IP	CRI=90	3-SDCM	40.000 h	230 V	DRIVER	LED
-------	-----------	-----	---	----	----	--------	--------	----------	-------	--------	-----

DESCRIPTION

Adjustable downlight in aluminium. It incorporates the LED module 15030-. Driver incorporated.







INSTALLATION

Round embedment of 243x82 mm.


ACCESSORIES

15031 - HONEYCOMB MODULE 6 / 9 W

15032 - HONEYCOMB MODULE 13 W





QUALITY CERTIFICATES :





NEXIA INOX_S

Aluminum LED Downlight.
Adjustable version.



00291 -		Colour	CRI / Temp.	Angle	Led	Dimming	Class			
0	White	H	927	2	20°	0	760 lm / 6 W	R	Edge Cut	II
1	Black	E	930	4	40°	1	1030 lm / 9 W	D	Dali	
8	Aluminum	F	940	6	60°	2	1330 lm / 13 W			

340 g	82 mm	10°	1	44	IP	CRI=90	3-SDCM	40.000h	DRIVER	LED
-------	-------	-----	---	----	----	--------	--------	---------	--------	-----

DESCRIPTION

Adjustable downlight in aluminium. It incorporates the LED module 15030-. Driver incorporated.







INSTALLATION

Round embedment of 82 mm.

ACCESORIOS

15031 - PANEL DE ABEJA 6 / 9 W

15032 - PANEL DE ABEJA 13 W



QUALITY CERTIFICATES :

