


WALLSTER ONE

WALL

design Anthony Boelaert for Dark



www.pinterest.com/pindark/metrooffice-dark

1116-BB-CCC-00
1116-BB-EFF00H-K

Metal | Alu




BB		CCC					
COLORS		TYPE					
02	Black	230 V	065	GU10	1x QPAR51 (MAX 50 W)		
03	White					1x LED (MAX 7,5 W)	
		EFF		H	K		
		CRI • LUMENOUTPUT		COLOR TEMP.	DRIVER EXTERN		
LED	815	>85 CRI • 1x 1500 Lm / 500 mA / 13,6 W		2 : 2700 K	0	incl./non dim	
				3 : 3000 K	1	excl.	
				4 : 4000 K	2	Dim 1-10 V	
					3	Dali	



WALLSTER TWO

WALL

design Anthony Boelaert for Dark



www.pinterest.com/pindark/metrooffice-dark

1115-BB-CCC-00
1115-BB-EFF00H-K

Metal | Alu




BB		CCC			
COLORS		TYPE			
02	Black	230 V	065	GU10	2x QPAR51 (MAX 50 W)
03	White				
		2x LED (MAX 7,5 W)			
		EFF		H	K
		CRI • LUMENOUTPUT		COLOR TEMP.	DRIVER EXTERN
LED	815	>85 CRI • 2x 1500 Lm / 500 mA / 13,6 W		2 : 2700 K	0 : incl./non dim
				3 : 3000 K	1 : excl.
				4 : 4000 K	2 : Dim 1-10 V
					3 : Dali



WALLSTER PLUS ONE

WALL

design Anthony Boelaert for Dark



www.pinterest.com/pindark/metrotoffice-dark

1118-BB-CCC-00-071

1118-BB-EFF00H-K-NNN-Q

Metal | Alu




BB		CCC				MMM					
COLORS		TYPE1				TYPE2					
02	Black	230 V	065	GU10	1x QPAR51 (MAX 50 W)	230 V	071	G9	1x TC-TSE (MAX 9 W)		
03	White									1x LED (MAX 7,5 W)	2x LED (MAX 7,5 W)
EFF		H		K		NNN		Q			
CRI • LUMENOUTPUT		COLOR TEMP.		DRIVER EXTERN		TYPE2		DRIVER EXTERN			
LED	815	>85 CRI • 1x 1500 Lm / 500 mA / 13,6 W	2	2700 K	0	incl./non dim	LED	803	>80 CRI • 2x 350 Lm / 700 mA / 6 W	0	incl./non dim
			3	3000 K	1	excl.				1	excl.
			4	4000 K	2	Dim 1-10 V					
									3	Dali	



WALLSTER PLUS TWO

WALL

design Anthony Boelaert for Dark



www.pinterest.com/pindark/metrooffice-dark

1117-BB-CCC-00-071

1117-BB-EFF00H-K-NNN-Q

Metal | Alu



BB		CCC				MMM					
COLORS		TYPE1				TYPE2					
02	Black	230 V	065	GU10	1x QPAR51 (MAX 50 W)	230 V	071	G9	1x TC-TSE (MAX 9 W)		
03	White									1x LED (MAX 7,5 W)	2x LED (MAX 7,5 W)
EFF		H		K		NNN		Q			
CRI • LUMENOUTPUT		COLOR TEMP.		DRIVER EXTERN		TYPE2		DRIVER EXTERN			
LED	815	>85 CRI • 1x 1500 Lm / 500 mA / 13,6 W	2	2700 K	0	incl./non dim	LED	803	>80 CRI • 2x 350 Lm / 700 mA / 6 W	0	incl./non dim
			3	3000 K	1	excl.				1	excl.
			4	4000 K	2	Dim 1-10 V					
									3	Dali	

